

理论探讨

从《阴阳十一脉灸经》论“是动、所生”的实质

赵京生*

摘要 作者通过对马王堆医学帛书与《灵枢》的比较研究发现,《灵枢·经脉》中各脉病候的“是动”“所生”之分,并非是一种病证分类方法,而是对源于不同医籍的经脉病候的不同记述形式,本质上是古人对经脉主病的不同认识。

主题词 经脉 《灵枢经》

《灵枢·经脉》(以下简称《经脉》)所载的各脉病候,皆分属“是动”“所生”两部分。何以如此,千百年来众说纷纭,但多不出《难经》“一脉辄变为二病”之说,而认为是对病证的一种分类。马王堆出土的《足臂十一脉灸经》和《阴阳十一脉灸经》(以下简称《足臂》《阴阳》)两帛书中,“是动”“所生”只见于《阴阳》(“所生”称“所产”),更使人们普遍将“是动”“所生”之分,视为古人开始从理论上对经脉病候进行分类的标志。

然而,笔者在研究马王堆医学帛书与《灵枢》的关系后认为,《阴阳》一书乃由正文和附文两部分所组成,这是病候有“是动”和“所产(生)”两部分的最初原因:《经脉》一书虽保留了这种病候记述体例,但却改动了《阴阳》的某些文句,遂致后人难明其义。

1 关于《阴阳》的“是动、所产”

1.1 《阴阳》病候与《足臂》的关系

研究“是动、所生”,须先从《阴阳》入手。与其同时出土的《足臂》对经脉病候的记述,仅总称“其病”。两书似乎无直接关联。但若将《阴阳》的“是动”“所产”病候分别与《足臂》对照,就

可发现二书在病候上存在着内在联系。

《阴阳》的“是动”部分:有三条经脉(手少阴、足厥阴、足阳明)的病候完全不同于《足臂》,其余各脉同于《足臂》病候的也为数很少。

《阴阳》的“所产”部分:手脉除太阴外,均全部包括了《足臂》病候,其中的手少阴脉甚至未增加一个病候,而保留《足臂》的原貌:

《足臂》“臂少阴脉……其病:胁痛。”

《阴阳》“臂少阴脉……是动则病:心痛,益渴欲饮,此为臂蹇,……其所产病:胁痛。”

足脉除厥阴外,几乎皆以《足臂》的病候为主。只要将《阴阳》“所产”的内容,改为《足臂》病候的次序排列,就能清楚地看出两者非常近似。以足太阳脉为例:

《足臂》:足小指废,脑痛,郄挛、睢痛,产痔,腰痛,夹脊痛,□痛,项痛,手痛,颜寒,产聋,目痛,眦衄,数癫疾。

《阴阳》:头痛,耳聋,项痛,耳彊,疰,背痛,腰痛,尻痛,痔,郄痛,脑痛,足小指痹。

可见两者基本相同,仅顺序颠倒而已。

《阴阳》的足厥阴病候虽不同于《足臂》,然其“所产”中“有阳脉与之俱病,可治也”一句,与《足臂》该脉病候中的“三阴病杂以阳病,可治”,文义近同。而记载诊断生死之候的,《足臂》唯有足厥阴脉,《阴阳》亦仅有足厥阴、足太阴二脉,两者也很接近。至于《阴阳》足太阴脉的死候,实际是与该脉的“所产”病候合而为一的。这种形式为《阴阳》足太阴脉所仅见。考其内容,却与《足臂》足厥阴脉的死候颇多类同:

《阴阳》足太阴脉“所产病”:“□□,心烦,

* 南京医学院·南京汉中路282号69信箱(210029)

收稿日期:1992-01-17;修回日期:1992-06-02

死：心痛与復(腹)张(胀)，死；不能食，不能卧，强吹(欠)，三者同则死；唐(澹)泄，死；……”

《足臂》足厥阴脉死候：“皆有此五病者，有(又)烦心，死。……烦心，有(又)腹张(胀)，死。不得卧，有(又)烦心，死。唐(澹)[泄]恒出，死。……”

造成两书对死候归经差异的原因暂且不论，而这种类同现象却再次表明了《阴阳》“所产”的内容与《足臂》有着密切的关系。

此外，《经脉》较《阴阳》增加的病候中，有相当一部分为《阴阳》未载的《足臂》病候，《经脉》不将其归入“是动”，却记于“所生”部分；并将《阴阳》“所产”中近同于《足臂》的病候，恢复如《足臂》的原文或原义。是为《阴阳》之“所产”必与《足臂》病候有关之佐证。

《阴阳》的“所产”病候多见于《足臂》，两者显然有着内在的联系。从记载病候的总数上看，《阴阳》较《足臂》多出近一倍，因此，在渊源关系上，《阴阳》的“所产”病候似主要来源于《足臂》；“是动”病候大部分不同于《足臂》，故其形成的渊源亦当不同于“所产”。

1.2 《阴阳》病候有“是动”“所产”之分的原因

对《阴阳》的结构、文字及内容的分析显示，《阴阳》各脉的文字，实由以“是××脉主治”为标识的前后两个不同部分所组成。

《阴阳》各脉“所产”部分之前的内容结构为：“脉名——循行——病候(‘是动’)——是××脉主治”，此与《足臂》之“脉名——循行——病候——诸病此物者，皆灸××脉”，以及《经脉》之“脉名——循行——病候(‘是动’‘所生’)——为此诸病，盛则泻之……”的完整结构形式基本一致。其中总结“是动”部分的“是××脉主治”的句式，使各脉“所产”部分之前的内容在《阴阳》中显得极为突出。

《阴阳》各脉(除足厥阴外)的“所产”部分，在记述病候之后，均对该脉“所产”病候的数目加以统计，如足少阳脉“其所产病：……为十二病”。这种独见于《阴阳》“所产”部分的行文体例，极似统计性的注文。而张家山汉墓出土

的竹简《脉书》中与《阴阳》内容全符的古传写本，不仅各脉的“所产”病候计数，而且在叙述完各脉之后，又总计经脉及其“所产”病候的数目，简文云：“凡阳脉十二，阴脉十。泰凡廿二脉，七十七病”。类似注文在后世古医籍注本中亦可见到，如《太素》卷十四杨上善注：“……为病十三也”。可资参证。

另外，《阴阳》中唯有足少阴脉在记述“所产”病候后，多出一段文字：“少阴之脉，久(灸)则强食产肉……久(灸)几息则病已矣”。显系后人所加。说明今日所见之《阴阳》一书，已为后人多次整理注释，而非原貌。

《阴阳》中表示指代的字词，在“是动”部分皆用“是”字，如“是动则病”“是××脉主治”；而“所产”部分却用“其”字，即“其所产病”。不可忽视的是，《足臂》正用“其”字作指代用词，说明《阴阳》“所产”部分保留了《足臂》的用字特点。亦从一个侧面表明了《足臂》与《阴阳》“所产”部分的源流关系。

《阴阳》所载的病候还有一个特点，即“是动”“所产”中有部分病候相同或类同，其大部分又可并见于《足臂》。以足太阳脉为例：

《阴阳》：“是动”病候：头痛，脊痛，腰似折，髀不可以运，胸如结，膈如裂。“所产”病候：头痛，项痛，背痛，腰痛，尻痛，郄痛，膈痛。

《足臂》病候：□痛，项痛，挟脊痛，腰痛，睢痛，郄挛，膈痛。

考虑到“所产”与《足臂》之间所呈现的渊源关系，则“是动”和“所产”中共见相同病候的现象，正可说明“是动”与“所产”属于不同的疾病认识体系。

综上所述，《阴阳》各脉的内容，明显地分为前后两个不同体系，“其所产病”之前的部分有完整的结构形式而自成一体，当为《阴阳》原书的文字；“其所产病”以下的部分，置于上文完整结构形式之外，用字与上文不同，独有统计性注语，内容与《足臂》多同，故当为附录之文，是后人将他书所载的该脉病候依自己的观点摘录于此而成。

经脉各有其所主的病候乃客观存在,在人们的医疗实践中必然会被发现,但这个过程是渐进的,而且受诸种因素的影响,所以各人所见有多有少,或此或彼,或暂时认识不同,此为认识事物的一般规律,也是本非同书内容的“是动”“所产”病候何以有相同又有不同的原因。

2 关于《经脉》的“是动、所生”

《经脉》继承《阴阳》记述病候的体例,亦将经脉病候分列“是动”和“所生”两部分,这表明两书的联系密切。在弄清《阴阳》“是动”“所产”成因的基础上,剖析两书的异同,将有助于解开“是动、所生”之谜。

2.1 在病候方面:首先,《经脉》病候的数量比《阴阳》增加了许多,但这些新增病候大部分都在“所生”中(约85个新增病候),而“是动”部分增加的很少(约14个新增病候,平均每条经仅1个左右)。其原因是很难从认识规律和医理上作出解释的。其次,《经脉》的“所生”部分,有明显的综合《足臂》病候和《阴阳》“所产”病候的特点。

2.2 在结构方面:《经脉》将论述治疗的文字,移至“是动”“所生”病候之后,即“为此诸病,盛则泻之,……不盛不虚,以经取之”;而《阴阳》仅在“是动”后有论治的文字,即“是××脉主治”。

不难看出,《经脉》病候部分的成文,受《阴阳》的影响很大。《经脉》在病候记载上的特点,表明其作者知道《阴阳》有正文和附文的区别,亦了解附文的内容源于以《足臂》为主的其他医学文献,故基本保留其属于正文部分的“是动”病候的原貌;并仿承其例,将新增的病候记于原属附文的“所生(产)”部分,而且更多地直接或稍加修改地引录了《足臂》病候的原文。下述例证可进一步说明这一点,即《经脉》中有三条经脉(手太阴、手阳明和足阳明)的部分“所生”病候,又分为“气有余”与“气不足”两类,这些内容出自先于《经脉》成文的《禁服》篇,原为论人迎寸口脉大小对比的诊治意义之文,《经脉》的作者误为言太阴、阳明经脉的虚实证候,而

加以增减改动后记入该经脉的病候中。但这些病候并不加于“是动”部分,却皆归入“所生”部分,正为上述观点之佐证。《经脉》对“是动”“所生”统以“为此诸病”论治,不但使“所生”部分的地位较之《阴阳》更为明确地与“是动”部分并列等同,而且表明“是动”“所生”在临床上并无区分的必要。因此,《经脉》病候的“是动”“所生”之分,缘于其成书时作者对所依据的医学文献的理解和采用方法,而不是出于对病候分类的考虑。

导致后人难明“是动”“所生”本质的原因,主要是《经脉》作者对《阴阳》的改动。其一,《经脉》借《阴阳》“是××脉主治”一句的位置及用语,改述新的内容,即“是主×”,从而根本改变了原句在《阴阳》内容结构中的意义,使《阴阳》“所产”部分本非原书文字的痕迹消失。其二,《经脉》的“是主×所生病者”,本是脱胎于《阴阳》中“是××脉主治。其所产病”两个明显无文义关联的独立语句,所以亦当读为“是主×。所生病者”两句。其中“是主×”一句仅表示该脉与相应脏腑的联系,不涉主治问题。但由于上述《经脉》对《阴阳》的改动,致后人多将“是主×”和“所生病者”误读为一句,并由此来解释“是动”“所生”的分类意义。即便有个别正确句逗者,如杨恂(见《灵枢识·经脉》),但在无《阴阳》一书参校的情况下,难以为人重视,也不易令人信服。

3 结语

对不同医学文献中的经脉病候,以不同的表述方式收记于一书之中,是形成经脉病候有“是动”“所生”两部分的直接原因。“是动”“所生”两部分病候,本质上是古人对经脉主病不同认识。集不同认识于一处,反映了古人在经脉认识上的不断积累、丰富和深化,体现着经脉学说的形成、发展过程。对经脉病候分而记述的形式,在一定程度上保留、代表着当时的不同观点与见解,有些仍属探讨阶段,而不是终结的、完善的,因此,有必要对其加以研究,并继续探索经脉病候,以有所发现、深化认识。

ABSTRACTS OF ORIGINAL ARTICLES

On the Nature of "Induced Disease and Generating Disease" Based on *Moxibustion Canon of Eleven Channels of Yin-Yang*

Zhao jingsheng

By comparing Ling Shu (Miraculous Pivot) with medical silk scrolls from Mawangdui, it was found that the manifestations of "induced disease" and "generating disease" in the Chapter on Channels, Miraculous Pivot are not syndrome classifications, rather, it is a different form of description on channel manifestations derived from different medical monographs; and is, intrinsically, the different approaches on the diseases underlying corresponding channels interpreted by ancient physicians.

Author's Address: Nanjing College of TCM, 210029, Nanjing

Key Words: Channels, Canon of Miraculous Pivot

(Original article on page 8)

Study on the Law of Application of Laryngological Insufflation Agents in the Qing Dynasty

Xia Jinping

Through the study on 35 most commonly used insufflation remedies from 14 monographs on laryngology in the Qing Dynasty, the frequency of application of the agents are, in order of decrease, borneal, borax, indigo, Sedimentation from human urine, alum, catechu, mirabilite, re-algar, musk, peppermint, coptis root, phellodendron bark, niter, glycyrrhiza. Among them, pungent drugs amount to 42.9%; cold drugs, 54.3%. For channel tropism, 40% belongs to the Lung and Stomach channels, 45.7% of them possess heat clearing action; 54.3% with antitoxic action.

Author's Add.: Wenzhou Hospital of Integrated Medicine, Wenzhou, Zhejiang, 325003, China

Key Words: Diseases of the larynx/TCM therapy

(Original article on page 11)

Analysis on the Treatment of Brain Atrophy Based on Syndrome Differentiation: Report of 32 Cases

Lei Huimin Di Lunian

Of the 32 cases, 27 were of psychoneurosis type, in which 4 were markedly effective, 10 effective; 5 cases were of senile dementia type, in which 1 case was markedly effective, another 1 effective, the total effective rate being 87%.

Author's Add: Heping District Hospital, Tianjin, 300201, China

Key Words: Brain Diseases/TCM therapy Atrophy /TCM therapy

(Original article on page 34)

Immuno-sterility Treated with Gu Yin (Consolidating-Yin)Decoction and Its Effect on Hu-

moral Immunity

Chen Xiaoping Chen Danping Dong Guihong

60 cases of immuno-sterility were treated with Consolidating-Yin Decoction and compared with 25 cases treated with western drugs as control. Results revealed that in the treating group, 19 cases were cured, 32 ameliorated, 9 ineffective; for the controlled group, the figures were 6,8,11 respectively. The influence on IgA, IgG was also significant in the treating group.

Authors' Add: Qingyun Hospital, Zhabei District, Shanghai, 200071, China

Key words: Sterility, female/TCM therapy Immune Disease/Blood @ Consolidating-Yin Decoction

(Original article on page 36)

Analysis on the Lingual Pictures of 255 Cases of Perforation of the Stomach and Duodenum

Zhang Yongfeng Li Naimin Liu Guilan Zhang Hong Wang Shuying Lin Xiaodong Meng Jun

Analysis on the cases demonstrated that the changes in their tongues possess some characteristics and changing regularity. As compared with the related ailments, indices of the proper and coating of the tongue presented very significant differences. thus, the application of lingual picture in the diagnosis of perforation of the stomach and duodenum becomes feasible.

Author's Add: No. 211 Hospital of PLA, Harbin, Heilongjiang, 150080, China

Key Words: Rupture of the Stomach/diagnosis diseases of the Duodenum/diagnosis Diagnosis of the tongue

(Original article on page 42)

Comparative Study on the Mechanism of Formation of Pulse Manifestations in Patients of Coronary Heart Disease and Hematopathy

Chen Suyun Lin Yuanchang Xuan Wenlan Xie Zhibin Xu Junjie Liu Yili Meng Qingdai Chen Yuxiao Cui Zhiying Lu Zhiping Wang Yunxiang Sun Qili Li Youyang Wang Shengbo

Most of the CHD patients reveal string pulse, mainly due to damage of heart function, lowering of arterial compliance and increase of total peripheral resistance. The common pulse in patients of blood diseases reveal frequent, tiny, string and slippery characteristic, mostly due to the increase of compensatory pumping action of the heart, shortening of ejection time of the left heart, with better vessel compliance and hemorheology, low total peripheral resistance.

Authors' Add: Department of TCM, The First Army Medical College, PLA, Guangzhou, 510515, China

Key Words: Coronary Heart Disease/pathophysiology Hematopathy/pathophysiology pulse manifestations

(Original article on page 44)