

梅核气冲剂治疗梅核气病的临床研究

李庆存¹ 常桂珍² 李 氏³ 姚勤学⁴ 沈鸿卿⁵

摘要 该冲剂具有宽胸理气、化痰散结、和胃降逆、除烦利咽之功效,治疗 180 例患者总有效率达 98.7%,而服用逍遥丸的对照组,总有效率为 69.7%。

主题词 梅核气/中医药疗法 @ 梅核气冲剂

多年来临床上我们以西医方法检查诊断,中医方法辨证论治诊治梅核气病 500 余例,取得很好疗效,同时也筛选出有效方剂,制成梅核气冲剂,治疗梅核气病人 180 例,并以逍遥丸为对照,现报告如下:

1 临床资料

1.1 诊断标准与病例选择:参考全国中医耳鼻喉科学会 1991 年标准。(1)病史中常有明确或不明确的情志不畅史;(2)自觉症状常有咽喉部异物阻塞感,吐之不出,咽之不下,空咽时明显,无妨饮食,甚或饮食时反觉减轻,其发病和症状起伏常与其情志状态有密切关系;(3)咽喉部检查无异常发现或有一般炎症性表现等;(4)经检查应排除咽喉部位、邻近器官及全身器质性(特别是恶性)病变。

1.2 一般资料:220 例患者中,观察组 180 例,对照组 40 例。其中男 98 例(观察组 82 例,对照组 16 例),女 122 例(观察组 98 例,对照组 24 例);年龄两组相近,在 7~68 岁之间,其高峰年龄 25~55 岁,共 158 例(71.82%)。发病时间最短 1 天,最长 5 年,其中 3 个月~1 年 148 例(67.27%)。

1.3 临床检查和临床表现:耳鼻喉科检查,220 例中咽部基本正常者 78 例,慢性咽炎 72

例,慢性咽喉炎 22 例,慢性咽炎合并扁桃体炎 18 例,慢性鼻咽炎 14 例,舌根淋巴组织增生 10 例,声带闭合不良 5 例,环状软骨(部分)钙化 1 例(CT 证实)。

咽喉部异物感及伴随症状有棉球感、毛发感、蚁行感、稻壳感、面条感、火柴杆感、红枣感、痰块感等。有的伴有咽干、咽微痛、声嘶或咽有凉感、憋胀感、紧束感或呼吸不利等,但不影响下咽饮食,有的下咽饮食时症状反而减轻。

2 治疗方法

观察组 180 例一律采用梅核气冲剂治疗,每袋 20g,每日服 2~3 次,症状明显者加服 1 袋,用开水冲服或代茶饮。对照组 40 例采用市售逍遥丸治疗,每次 1 丸,每日早午晚各服 1 次,均 10 天为一疗程。同时嘱其患者要心胸宽阔,避免生气;要戒除烟酒辛辣刺激之品;要劳逸适度,预防感冒;在治疗本病期间要暂停用其他药物。

3 疗效分析

3.1 疗效标准:参考全国中医耳鼻喉科学会 1991 年标准。临床治愈:10 天以内症状减轻,两个月以内临床症状和体征消失,1 年以上无复发;显效:半个月以内症状减轻,两个月以内临床症状和体征消失,1 年以上无复发;有效:半个月以内症状减轻,两个月以内临床症状和部分体征消失;无效:用药后症状稍有减轻,或无减轻,体征无明显改善。

3.2 治疗结果:附表示,观察组总有效率为 98.3%,对照组则为 69.7%,经统计学处理,两组间疗效有显著性差异($P < 0.05$)。我们对观察组中获临床治愈者 10 例,显效 10 例,有效 10 例,进行了 2 年以上的长期随访,结果是治愈者中复发 1 例,显效者中复发 2 例,有效者中复发 4 例,复发率 23.3%。其原因分别为生气、感冒、饮酒、劳累和食用辣椒,但病情较原来为

1 山西医学院第一附属医院中医喉科,山西省太原市解放南路 13 号(030001)

2 山西医学院第一附属医院儿科

3 山西煤炭中心医院康复科

4 山西运城地区银湖制药厂

5 山西医学院第一附属医院药剂科

收稿日期:1993-11-15

轻。对复发病例,再用梅核气冲剂治疗,仍有良好疗效。

附表 两组疗效情况比较

组 别	例数	临床治愈 例(%)	显效 例(%)	有效 例(%)	无效 例(%)
观察组	180	48(26.7)	56(31.1)	73(40.6)	3(1.7)
对照组	40	5(12.5)	7(17.5)	16(40.0)	12(30.3)

4 讨论

本文所论之梅核气病,早在汉代张仲景《金匱要略》即载:“妇人咽中如有炙脔,半夏厚朴汤主之”。清代《医宗金鉴》记载更为明确:“咽中如有炙脔,谓咽中有痰涎如同炙脔,咳不出,咽不下者,即今之梅核气之病也”,又称:“此症男子亦有,不独妇人也”。

考现代医学中并无梅核气病之名,然而临床确有不少具有梅核气典型症状的患者,西医往往冠以咽部异感症、会厌综合征或咽神经官能症等。本工作观察到,梅核气病可有以下两种类型:(1)有梅核气病的典型症状而咽部无阳性体征可见者,属纯功能性疾病者,占35.5%;(2)有梅核气病的典型症状而又见咽部阳性体征(如咽炎等),属炎症性改变者,占64.5%。从患者主诉病因和耳鼻喉科检查结果来看,肝气

郁结、情志不畅是产生梅核气病的主要病因,但不是唯一病因,或者说梅核气病并非都是功能性的,然而自觉症状随其情绪波动而起伏确实是梅核气病的一大特点。

为探求梅核气病发生的内在客观因素,我们对症状典型的部分患者做治疗前后部分化验检查,结果显示血常规、抗链“O”及C反应蛋白等项目大多在正常范围内,但部分患者免疫球蛋白IgG、IgA、IgM等偏低,经治疗有所提高,但有的患者则无明显变化,这与梅核气病的发生、发展和转归有否关系,尚需进一步研究。

为解除患者痛苦,在我们多年临床工作的基础上,严格组方和生产工艺,制成疗效高、口感好、便于服用、无毒副作用的梅核气冲剂。本方是由全瓜蒌、清半夏、云茯苓、旋覆花、厚朴花、广郁金、夏枯草、板蓝根、苏梗、甘草等药组成。其功能具有宽胸理气、化痰散结、和胃降逆、除烦利咽等作用,故对咽部异物感、吐之不出、咽之不下、长息为快等的梅核气病、会厌综合征,以及部分具有梅核气典型症状的慢性咽炎等均有良好的治疗作用。

本文承蒙山西财经学院统计教研室庞凤仙副教授作统计学处理,特致谢意。

中国中医研究院培训中心常年招生

为适应当前医药卫生事业的飞速发展以及广大医务工作者的需要,我院培训中心常年举办如下各类专题讲习班:

1. 高级中医进修班(专题讲习); 2. 高级针灸临床应用(专题讲习); 3. 王文远整体平衡一针疗法实用技术推广班(专题讲习); 4. 任志远传统针灸刀疗法(专题讲习); 5. 师怀堂新九针班(专题讲习); 6. 钱作尧长银针班(专题讲习); 7. 推拿班:分初级班(普及推广)、高级班(偏重于理论探讨); 8. 中药类班:中药炮炙、中药鉴别、中药剂型、中药药理(实验研究)、真发酵培养技术推广等。以上各班学习结业发结业证书。

欲报名者请与北京东直门内北新仓18号中国中医研究院培训中心狄福金联系,邮编:100700。

河北省巨鹿县中医气功按摩学校招生

该校是经县教委批准的专业学校,由著名中医气功按摩主治医师陶纪志主办,重点传授带气点穴、推拿按摩、刺血疗法、拔火罐等技术。学员可练出硬气功,学会发功治疗瘫痪、半身不遂、腰肌劳损、肩周炎、坐骨神经痛、关节炎、类风湿、四肢麻木、骨质增生等几十种常见疾病,并向学员赠送治疗坐骨神经痛、类风湿、骨质增生三大秘方。学期20天,学费300元,不

能来校学习者,或函授,学费100元(教材与面授相同三年内负责答疑),学习期满经考试合格者,颁发证书,不合格者,下期可免费再学。

本校门诊办理邮购“追风透骨散”,此药专治风湿、类风湿、骨质增生、妇女产后受风寒引起的腰腿痛麻凉。学习本专业有无基础均可报名,经批准后,接通知入学,本校有教材及招生简章备索,来函即寄。

通讯汇款地址:河北省巨鹿县中医气功按摩门诊 联系人:陶纪志 邮编:055250

全国中医针灸按摩点穴气功师 专业高级班招生

本专业由中国古典医术健康中心和中国气功系列海口市培训中心联合举办,旨在配合政府治理整顿行业,理顺社会医疗气功市场,为就业就学人员进行严格培训,采用全国统编教材、自编教材全面系统学习,免试入学,学制1年,实行国际标准化试题考核,学习期满颁发1年制高等专业证书,可作为职称评定、晋升、开业就业的参考依据,出国公证有效。函授学费280元。汇款报名请寄海南省海口市滨海大道花园新村A2幢103号联合招生办收,邮编:570005,联系人:罗婷。

ABSTRACTS OF ORIGINAL ARTICLES

Experience on Treatment Based on Differentiation of Syndromes in Acute Rejection Reaction in Orthotopic Transplantation of Liver

Yu Shenshan, Chen Changwei, Xiao Guangsheng

The experience on a case of human allogeneic orthotopic transplantation of liver with acute rejection reaction treated with differentiation of syndrome was reported. The principles of clearing heat, eliminating dampness, detoxification and eliminating filth, soothing and dredging liver and bile, facilitating bile duct, immune depressing method was also used so that the primary rejection reaction was rapidly brought under control and reversed. Then phlegm and blood stasis were treated at the same time with facilitating the flowing of bile, so that the remained jaundice can be also cured and liver function recovered.

Authors' Address: No. 514 Hospital, PLA, Beijing 160101

Key Words: Liver/transplantation postoperative complications/ TCM therapy allotransplantation

(Original article on page 586)

Studies on Action of Anti-fibrosis of Liver by Recipes of Supporting Resistance and Eliminating Blood Stasis

Liu Cheng, Liu Ping, Hu Yiyang, et al.

Liver fibrosis induced by CCl₄ in rat models were prevented and treated by recipes of supporting resistance and eliminating blood stasis. Results showed that it decreased the HyP contents in rat's liver and the severity of fibrotic proliferation. For posthepatic cirrhosis, it decreased the HA and LM contents but no changes can be observed in control group.

Authors' Address: Research Center for Liver Diseases, Shanghai Academy of TCM, Shanghai, 200032

Key Words: Liver/pathology @ Recipe of Supporting Resistance and eliminating blood stasis

(Original article on page 602)

Irregular Menstruation After Intrauterine Ring Installation for Contraception

Xin Wenhua

Eighty such cases were reported. All the cases were treated by self-formulated recipes for nourishing the

spleen and kidney, replenishing Yin, clearing heat, supplemented by drugs for cooling blood and hemostasis.

Author's Address: Department of Gynecology, Shanghai Hospital of TCM, Shanghai, 200090

Key Words: Intrauterine contraceptive devices/side effect irregular menstruation/TCM therapy irregular menstruation/etiology

(Original article on page 612)

Infusion Granules of Meiheqi for Globus Hystericus.

Li Qingchun, Chang Guizhen, Li Min, et al.

The solution has an action of easing the chest, regulating Qi, dissipating phlegm, dispersing pathogenic nodules, harmonizing the stomach, depressing adverse rushing flow, facilitating the pharynx and stopping restlessness. 180 cases were treated with a total effective rate of 98.7%, while that of a control group treated with Xiaoyao Pills was 69.7%.

Authors' Address: Department of TCM Laryngology, 1st Affiliated Hospital, Shanxi Medical College, Taiyuan, Shanxi 030001

Key Words: Globus hystericus/ TCM therapy @ Infusion Granules of Meiheqi

(Original article on page 613)

Study on Law of Distribution of Chronic Stomach-ache Syndrome

Zhang Guanghua, Zhang Lei, Weng Shuqin, et al.

The domestic regular standard for diagnosing stomach-ache was applied in 2315 cases, and observed systematically for their syndrome grouping. Results revealed that this is rather complex with only 28.8% revealing typical syndrome. Among the cases, syndromes of Qi-stagnation, debility including deficient cold, stagnant fire, damp-heat are more frequently seen, with the most frequent one encountered in Qi-stagnation. Sole and compound syndromes were mostly focussed in these 4 groups, suggesting most of the stomach-ache were of excess in nature.

Authors' Address: Affiliated Hospital of Chengdu College of TCM, Chengdu, Sichuan 610072

Key Words: stomachache/diagnosis Chronic diseases

(Original article on page 617)