

中医辨证治疗重症妊娠恶阻 115 例

江希萍* 吴向红*

摘要 按肝胃不和、脾胃虚弱、痰湿内阻、气阴两虚 4 类辨证施治,呕吐严重者配合中药浓煎取汁雾化吸入。经 2~3 周治疗,本组 115 例中痊愈 78 例,显效 30 例,有效 7 例。总有效率 100%。其中肝胃不和型疗效最佳,气阴两虚型痊愈率较低。

主题词 妊娠剧吐/中医药疗法 辨证论治

重症妊娠恶阻,是妊娠恶阻中最严重的一种类型。由于持续性呕吐,易导致孕妇酸中毒、电解质紊乱或肝肾功能损害。我院自 1982~1992 年间共收住院治疗重症妊娠恶阻 115 例,以中医辨证治疗为主,均收到很好的效果,特报告如下:

1 一般资料

本组病例年龄 22~25 岁 50 例,26~29 岁 49 例,30 岁以上 16 例。发病孕期 40~59 天 63 例,60~89 天 37 例,90 天以上 15 例。初次妊娠 75 例,两次以上妊娠 40 例。合并酸中毒尿酮体(+)26 例,(++)30 例,(+++)28 例,(++++)31 例。电解质紊乱血钾低于 3.5mEq/L 15 例,SGPT 升高 6 例,合并先兆流产 8 例。115 例中外院治疗未获控制而转我院 24 例,既往有重症妊娠恶阻而中止妊娠史者 5 例。

2 辨证分型与治疗

根据临床实践,将重症妊娠恶阻辨证分为 4 种证候施治。肝胃不和:妊娠后食入即吐,呕吐酸苦水,伴头晕目眩,胸胁胀痛,暖气口苦,心烦不寐,舌红苔薄白或薄黄,脉滑弦。治宜抑肝和胃,降逆止呕。予自拟苏连胡芩汤:黄连 3g,苏叶 6g,柴胡 6g,黄芩 9g,竹茹 6g,绿萼梅 9g,橘皮 9g,姜半夏 9g。

脾胃虚弱:妊娠后呕吐不能食,口淡无味,呕吐清水,伴胃脘胀满,神倦乏力,舌淡苔白,脉

细滑而弱。治宜益气健脾,和中降逆。予橘皮竹茹汤加减:橘皮 10g,竹茹 10g,太子参 10g,半夏 10g,云苓 10g,炒白术 12g,炙杷叶 9g,生姜 3 片,大枣 5 枚(劈)。

痰湿内阻:孕后呕吐,呕吐痰涎,厌闻油腻,伴倦怠嗜睡,舌体肥大,苔白腻,脉细滑。治宜燥湿化痰,降逆止呕。予藿朴二陈汤加减:藿香 10g,厚朴 9g,陈皮 10g,云苓 12g,半夏 9g,白扁豆 30g,炒白术 12g,枳壳 10g,竹茹 6g。

气阴两虚:孕后久吐不止,甚则滴水不入,伴形体消瘦,眼眶下陷,双目无神,口干烦渴,尿少便结,舌红少苔,脉细滑数。治宜益气养阴,生津止呕。予自拟益气养阴汤:生地 20g,麦冬 10g,五味子 10g,元参 15g,白芍 15g,石斛 9g,炙杷叶 9g,竹茹 6g,乌梅 10g,佛手片 9g。

以上各方均每日 1 剂,浓煎取汁约 200ml,少量多次饮服。如呕吐严重,饮入即吐者,配合蒸气雾化吸入法,即将中药浓煎取汁,乘热徐徐吸入雾气。伴有严重水、电解质紊乱者,给予输液纠正酸中毒和电解质紊乱支持治疗,有严重肝肾功能损伤者给予镇吐药配合治疗。

3 疗效标准与结果

痊愈:单纯中药治疗后,恶心呕吐停止,临床症状完全消失,尿酮体检查连续 3 次阴性,胚胎发育正常;显效:中药治疗为主,配合输液支持疗法后,临床症状消失,尿酮体连续 3 次阴性,胚胎发育正常;有效:经中药配合输液及镇吐药物治疗,症状缓解,尿酮体转阴,胚胎发育正常;无效:经综合治疗后,呕吐不止,酸中毒得不到纠正或纠正后又反复,出现严重肝肾功能损伤,须中止妊娠者。

本组 115 例患者经 2~3 周治疗,痊愈 78 例(67.8%),显效 30 例(26.1%),有效 7 例(6.1%),总有效率为 100%。

辨证分型与疗效的关系见附表,肝胃不和

* 中国中医研究院广安门医院,北京市宣武区北线阁(100053)

收稿日期:1993-07-12

痊愈率最高为 88.5%，气阴两虚痊愈率最低为 20.0%。

附表 辨证分型与疗效的关系

分 型	例数	痊愈	显效	有效
肝胃不和	52	46	5	1
脾胃虚弱	35	25	8	2
痰湿内阻	3	2	1	0
气阴两虚	25	5	16	4

尿酮体水平与转阴率呈反比，尿酮体转阴率(+)为 100%，(++)为 63.3%，(+++)为 58.1%，(++++)为 53.6%。

4 讨论

本病虽属中医的“恶阻”范畴，但其程度较严重，故称“重症恶阻”。由于病情严重，频频呕吐，饮食不进，重伤胃阴，耗损阴津，进而发展到

气阴两虚的危重证候，若不及早治疗，往往危及孕妇的生命。115 例中气阴两虚 25 例 (21.7%)，绝大多数尿酮体(++++)~(++++)，同时伴有电解质紊乱 15 例，占 13.0%。在观察过程中，我们发现，随着尿酮体增加，而气阴两虚病例亦逐渐增多。可见，气阴两虚是本病的危重之象，必须及早治疗，使其早存得一份阴液，早获得一份生机。

本组有 78 例以单纯中药治疗而痊愈，占 67.8%，而重症患者配合芳香化浊、醒脾开胃中药，采用雾气吸入法，多能提高疗效。另外妊娠恶阻的发生与精神因素有较大的关系，特别是孕妇对妊娠有恐惧心理，或厌烦，均可导致呕吐加剧，所以应注意精神调护，并根据病人的饮食喜好，给予易消化食物，分次少量多餐进食，并避免高脂肪食品，多能起到辅助治疗作用。

先寄书·后付款·守信誉·讲公德 全国唯一的一家

中国医药科技出版社 中医古籍出版社 人民军医出版社 特邀发行

大运河医药书店信誉邮购

气管支气管炎 9.50
中医内科学临床 12.00
中华名医绝技集成(精) 66.70
临床证状鉴别诊断 12.00
心脑血管病知识问答 7.00
新编实用肝胆病学 46.00
中西医结合内科学 11.80
保产全书 9.30
现代中医学专著 18.40
中医内科学 32.20
名医处方秘本(一) 17.30
名医处方秘本(二) 13.80
中药炮制法 19.90
实用临床新方手册 17.30
苏氏正骨 17.30
玉容按摩·养生 10.00
高血压的中医治疗 7.60
湖南湖南医学 11.50
中国手书 6.70
大众抗癌 6.80
新编简明方书手册 21.60
现代名中医内科学 11.50
现代名中医妇科绝学 10.80
现代名中医儿科绝学 11.00
护理英语 20.70
大雁气功 6.50
古代名医医案 10.00
中国成药优选 46.00
内科医生必读 25.30
实用中西医结合诊断治疗学(精) 127.60

糖尿病方选方大全 15.00
现代中医内科学(精) 45.30
中国药物大辞典(精·上下册) 319.00
实用中医肾病学(精) 26.40
独特治病绝招丛书(1~8册) 49.20
男科丛书(1~5)一集 23.00
实用骨科学(精) 98.30
现代临床医学词典(精) 112.70
心脑血管急症 19.20
现代冠心病临床治疗学 32.20
实用临床传染病学(精) 38.00
超声医学问答 7.00
壮阳疗法 6.60
临床医用药必备 20.70
老药新用途 14.40
危重病护理学 22.80
护理必备 16.00
实用消毒学(精) 28.80
实用创伤急救手术学 22.80
医疗单位制剂规范(最新编著) 43.70
决定计量单位在医学上的应用 4.80
中医入门歌诀 5.50
中医奇效治法 4.60
骨质增生特效方 7.20
中药常用中药指南 8.00
中药鼻科疗法 11.20
药师手册 44.30
医疗护理技术操作常规(精) 48.30
临床疾病诊断依据与转归标准(精) 28.20
最新心血管用药 11.50

艾罗病图解 10.00
初级卫生人员多法试解 5.80
先天性心脏病现代诊断 7.00
呼吸衰竭基础与临床 21.00
外科常用诊疗技术 12.00
黄志福胆道外科手术学(精) 22.40
中医常用外治法(精) 18.00
中医方剂学 6.80
穴位用药 7.60
妇女病的中医治疗 6.80
烧伤常识问答 7.00
临床超声诊断学(精) 36.00
老方生方指南 3.70
当代名医证悟(备有各科各病专著)
中医自学辅导丛书(备有中医各科图解)
道医五派丹法经济(1~5集) 51.10
李发荣古方(精) 16.70
实用传统容法 6.50
古今中外台真传(精) 27.60
何世骨科(精) 69.00
骨伤经验秘方五百首(精) 16.10
经方中药研究集 11.80
百病名方汤头歌诀 5.80
妇人针灸法秘要 7.00
中药现代临床应用手册 34.50
中国烧伤大全 18.00
现代现代治疗学 57.50
93/94 国内外医药市场预测与分析 34.50
最新国内外疾病诊疗标准(精) 26.50
实用中西医结合临床手册(精) 28.00

本草纲目通释(精·上下册) 193.60
新编方剂大全(1~4册) 32.80
一册内科 13.10 二册外科 10.50
三册儿科 8.50 四册五官科 8.50
中国传统疗法丛书五种 44.50
(中医药酒·药膳·药茶·按摩·针灸)
及(基础·临床·保健) 4.70
人体生理学 8.50
临床心电图解疑 6.50
单穴临床应用集 9.00
孕妇手册 5.80
中医常用药解(低指南)(精) 30.00
中医临床大全(精) 143.00
中国古方大全(精) 170.50
性腺自测与高分泌 6.80
心脏肺肾与代谢酶学 12.70
足反射疗法 6.20
妇科三百问 10.10
男女奇效良方 6.20
丙型肝炎 5.90
气功特殊疗法 6.00
脚气病预防 5.40
中医记(1)与健康长寿 5.80
耳穴百病 10.90
饮食养生指南 11.80
万寿建八村酒功 5.20
一分钟健身回春 8.00
女性医学小百科 5.80
孕妇·产妇·婴儿 300 忌 6.00
医学书籍编写技术手册 3.40

大运河医药书店以上图书均有现货，所列书价(元/册)已含邮挂费。实行两种信誉邮购办法：(1)款到寄书。请将要购的书名、册数写在汇款单附言内，不需另写信。售缺退款。(2)先寄书，后付款。购书者来信由单位担保加盖公章，起法律效力，书店即用挂号先寄书，书到 3 日内速汇款来。信誉共守，违者查究。邮局、银行汇款均可。

汇款地址：河北省故城县县城大运河医药书店 邮编：253800 联系人：林海 直拨电话：(03265)322977 开户银行：河北省故城县工商银行 帐号：02450234818

ABSTRACTS OF ORIGINAL ARTICLES

Postoperative Residuals and Relapsing of Primary Liver Carcinoma Treated by Chinese Drugs and Chinese Drugs Plus Chemotherapy

Lin Junhua, Xu Yiyu, Yu Erxin

One hundred and ten cases of postoperative residuals, relapsing and metastasis in primary liver carcinoma were treated by traditional drugs and traditional drug plus chemotherapy. The drugs were of strengthening spleen, regulating Qi, dispersing Liver, relieving stagnation, dissipating dampness, mediating the stomach and spleen, invigorating Qi and replenishing blood. Results revealed that the 1-year survival rate in 110 cases was $70.78 \pm 8.53\%$, 3-year survival rate was $33.82 \pm 9.25\%$, 5-year survival rate was $16 \pm 7.43\%$ (by list of life-span method). Among them, 4 cases have survived for over 10 years, indicating that the treating principles of supporting the body resistance and strengthening the spleen is significant in prolonging the survival rate of primary liver carcinoma after operation.

Author's Address: Hospital of Oncology Affiliated to Shanghai University of Medical Science, Shanghai, 200032

Key Words: Liver Tumor/ method of integrated Chinese and western medicine Liver Tumor/surgical operation cancer metastasis

(Original article on page 220)

Severe Cases of Vomiting in Pregnancy Treated on the Basis of Differentiation of Syndrome Manifestations: Analysis of 115 Cases

Jiang Xiping, Wu Xianghong

The cases were differentiated into 4 types, viz. disharmony of liver-stomach, deficiency of spleen-stomach, inner obstruction of damp-phlegm, and deficiency of both Qi and Yin and treated on the basis of syndrome differentiation. For cases with severe vomiting, concentrated decoction of traditional drugs for steam inhalation was added. After 2-3 weeks therapy, 78 were cured, 30 were markedly effective, 7 effective, the total effective rate being 100%. The efficacy was the best in type of disharmony of liver-stomach, whereas the worst, in type of deficiency of both Qi and Yin.

Authors' Address: Guanganmen Hospital, Academy of TCM, Beijing, 100052

Key Words: Vomitus gravidarum/TCM therapy treatment based on differentiation of syndrome manifestations

(Original article on page 225)

Observation on Therapeutic Effect of Sugar Induced Diarrhea in Children Treated with Chinese Traditional Drugs

Hu Yibao, Yao Weiren, Wang Jianmin, et al.

Eighty-eight cases of sugar induced diarrhea in children were treated by TCM on the basis of differentiation of syndrome manifestation. Two types were differentiated, namely spleen jeopardized by damp-heat evils, deficient spleen immersed in dampness. Results showed that the cured rate was 62.5%, with a total effective rate of 92.1%.

Authors' Address: Peizhou Municipal Hospital of TCM, Jiangsu, 221300

Key Words: Diarrhea/TCM therapy carbohydrates/metabolism @ sugar induced diarrhea

(Original article on page 227)

Establishment of Animal Model of Deficiency of Lung-Qi "Syndrome" in Rats

Xu Xihong, Kong Fanzhi, Yu Xiaoxia, Zhang Jianmin, et al.

Rats were stimulated with exogenous wind, cold and SO_2 , causing coughing, dyspnea, listlessness, and vulnerable to disease which are manifestations of deficiency of lung-Qi. Examination revealed that the cellular and humoral immunity in such animal models were decreased, the time of swimming with burden was shortened, the skin temperature, especially in the dorsal surface was lowered. Microstructural observation showed that defective lesions were extensively present in the trachea and bronchi. Bufei decoction was effective to relieve symptoms and syndromes of the rat.

Authors' Address: Academy of TCM of Zhejiang Province, Hanzhou, 310007

Key Words: Deficiency of Qi/Lung disorders (TCM) model of disease, animal

(Original article on page 230)